



EXAMINATIONS — 2007

MID-YEAR

COMP 102
INTRODUCTION TO
COMPUTER PROGRAM
DESIGN

Time Allowed: 3 Hours

Instructions: Attempt ALL Questions.

Answer in the appropriate boxes if possible — if you write your answer elsewhere, make it clear where your answer can be found.

The exam will be marked out of 180 marks.

Non-programmable calculators without a full alphabetic key pad are permitted.

Non-electronic foreign language dictionaries are permitted.

There is documentation at the end of the paper, which you may tear off.

There are spare pages for your working and your answers in this exam.

Questions

	Marks
1. Understanding Java	[56]
2. Programming with Loops	[15]
3. Files	[17]
4. Implementing Collections	[15]
5. Using Collections	[12]
6. Designing with Interfaces	[32]
7. GUIs and Mouse Events	[12]
8. Recursion	[21]

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.

Question 1. Understanding Java

[56 marks]

(a) [3 marks] What will the following fragment of Java print out?

```
int x = 5;
int y = 3;
y = x + 4;
x = y / 2;
System.out.printf("x= %d y= %d expr= %4.2f\n", x, y, y/2.0);
```

(b) [6 marks] Consider the following compute method:

```
public int compute(int a, int b) {
    if (a < 8 || b == 5)
        return a;
    if (a > 5 && b <= 7)
        return b;
    if (a == b * 2)
        return a + b;
    return 0;
}
```

What would the following calls to compute return?

```
compute(6, 3) ==>
compute(20, 10) ==>
compute(10, 15) ==>
compute(10, 5) ==>
compute(8, 6) ==>
```

(Question 1 continued on next page)

(Question 1 continued)

(c) [5 marks] What will the following fragment of Java print out?

```
int n = 2;
while ( n < 16 ){
    System.out.printf("n = %d\n", n);
    if (n > 8)
        break;
    n = n + 2;
}
System.out.printf("Finally, n = %d\n", n);
```

(d) [5 marks] Suppose the variable `words` is declared to be an array containing 10 strings.

```
String [ ] words = {"bee","cow","ant","car","cat","bat","ape","can","bin","gnu"};
```

words:

bee	cow	ant	car	cat	bat	ape	can	bin	gnu
0	1	2	3	4	5	6	7	8	9

What will the following code fragment print out?


```
for ( int index=0; index < words.length; index++){
    if ( words[index].startsWith("c") ){
        System.out.println(words[index + 1]);
    }
}
```

(Question 1 continued on next page)

(Question 1 continued)

(e) [5 marks] Show how you could reorder the Strings in the `words` array of the previous question so that the Java fragment above would result in an error.

Words:




(f) [6 marks] Suppose that the variable `words` is declared as before:

```
String [ ] words = {"bee","cow","ant","car","cat","bat","ape","can","bin","gnu"};
```

Show the contents of `words` after the following `remove` method is called with the arguments `remove(words, 4)`.

```
public void remove(String [ ] words, int index){
    for ( int i=words.length-2; i>index; i-- ){
        words[i] = words[i+1];
    }
}
```

words:



(Question 1 continued)

The Elf class on the facing page defines Elf objects, which have two fields to store their age and hat colour. The class also contains a test method.

(g) [5 marks] If the test method is called, what will it print out?

(h) [5 marks] Write an additional method called grownUp for the Elf class which returns true if the elf is 11 or older, and false if the elf is under 11.

(Question 1 continued on next page)

(Question 1 continued)

```
public class Elf{
    private int age;
    private String hatColour;

    public Elf( int a){
        this.age = a;
        this.hatColour = "Blue";
    }

    public void changeHat(String c){
        this.age++;
        this.hatColour = c;
    }

    public String toString(){
        return (this.hatColour + " elf (" + this.age + ") ");
    }

    public static void test(){
        Elf jim = new Elf(3);
        Elf jak  = new Elf(10);

        System.out.println("A: " + jim.toString());
        System.out.println("B: " + jak.toString());

        jim.changeHat("Red");
        jim.changeHat("Green");
        System.out.println("C: " + jim.toString());

        jak.changeHat("Yellow");
        System.out.println("D: " + jim.toString());
        System.out.println("E: " + jak.toString());
    }
}
```

(Question 1 continued on next page)

(Question 1 continued)

(i) [6 marks] Suppose the file "command.log" contains the following text:

```
ls
makeDemo 10 MiniDraw
copy assig
cpRec Initial/doc assignment-code/lab-10/MiniDraw
inkscape-drawingFile
xlbiff
```

What will the following printFile method print out if it is called by printFile("command.log")?

```
public void printFile (String fname){
    try{
        Scanner scan = new Scanner (new File(fname));
        int a = 0;
        while ( scan.hasNext() ){
            String str = scan.nextLine();
            if ( str.length() < 12 )
                System.out.printf ("%d: %s\n", a, str);
            a++;
        }
        System.out.println(scan.next ());
        scan.close();
    }
    catch(Exception e){System.out.println("File reading failed");}
}
```

(Question 1 continued on next page)

(Question 1 continued)

(j) [5 marks] Complete the following `countNegatives` method that is given an array of `doubles`, and will **return** the number of cells in the array that contain negative numbers.

```
public int countNegatives(double[] data){
    int count = 0;

    return count;
}
```

(k) [5 marks] Sketch what the following `drawStuff` method would draw on the canvas if it were called with `drawStuff(10, 10, 4)`. Assume that `canvas` is a field containing a `DrawingCanvas` object. Write the top-left coordinates of each `Oval` on your sketch.

```
public void drawStuff(int x, int y, int num){
    this.canvas.drawOval(x, y, 8, 12);
    if (num > 0){
        this.drawStuff(x+20, y, num-1);
    }
}
```



Question 2. Programming with Loops

[15 marks]

The following `printTable(n)` method is intended to print out a multiplication table up to n , showing each answer just once. For example, if the argument is 4, it should print out

```
1: 1  2  3  4
2:   4  6  8
3:    9 12
4:   16
```

If the argument is 5, it should print out

```
1: 1  2  3  4  5
2:   4  6  8 10
3:    9 12 15
4:   16 20
5:   25
```

```
/* This version of printTable has errors */
public void printTable( int n) {
    for( int row= 0; row<n; row++){
        System.out.printf( "%d: ", row);
        for( int col = row; col<n; col++){
            System.out.printf( "%2d ", row*col);
            if (col > n)
                System.out.println ();
        }
    }
}
```

(a) [5 marks] The version of `printTable` above has errors. What does it print out if it is called with an argument of 4?

(Question 2 continued on next page)

(Question 2 continued)

(b) [10 marks] Write a correct version of `printTable` so that it does what it is supposed to do.

```
public void printTable (int n){
```

```
}
```

Question 3. Files

[17 marks]

Suppose the file "DutyHours.txt" contains data about hours of duty where each line contains a day of the week, a date, and pairs of times giving the start and end of each duty session. For example, the file might contain

```
Mon 07/05/2007 1000 1200 1700 1800
Wed 09/05/2007 1400 1700
Fri 11/05/2007
Mon 14/05/2007 0900 1100 1600 1900 2100 2200
```

The first line says that there are two duty sessions (from 10am to 12 noon and from 5pm to 6pm) on Monday the 7th May 2007.

The start and end times are given in 24-hour time and duties always start and end on the hour.

The number of duties on each day varies and there are days that have no duties.

(a) [5 marks] What will the following method print to System.out?

```
public void testFiles () {
    try{
        Scanner fileScan = new Scanner(new File("DutyHours.txt"));
        String day = fileScan.next ();
        String date = fileScan.next ();
        while (fileScan.hasNextInt()){
            System.out.println (fileScan. nextInt ());
        }
        fileScan.close ();
    }
    catch(IOException e){System.out.println("File reading failed: "+e);}
}
```

(Question 3 continued on next page)

(Question 3 continued)

(b) [12 marks] Write a method that reads data from a file in the format described above and calculates the total working hours (duty hours). On the example file above, it should return 12.

```
public int workingHours() {
```

```
}
```

Question 4. Implementing Collections


[15 marks]

This question (and the next) concern a `BookTracker` program to help a user keep track of their rare book collection. One class in the program is the `BookCollection` class, which uses an array to store the information about the current collection of books. It has the following two fields:

```
private static final int MaxBooks = 1000;  
private Book[] bookArray = new Book[MaxBooks];
```

Note that `Book` is a class for representing information about an individual book.

Initially, every cell of the array will contain `null`. When you add a book to the collection, you can put it in any cell that currently contains `null`; when you remove a book, you simply replace it by `null`. For example, if the array had a length of 10, and contained three books, it might look like the following:



The `BookCollection` class has several methods, including:

- `size()`, which returns the number of books in the collection.
- `addBook(Book b)`, which adds a new book to the collection.
- `findBook(String str)`, which returns the book in the collection whose title matches the string.
- `printAll(PrintStream ps)`, which prints information about each book to a `PrintStream` (eg, `System.out`).

(a) [5 marks] Complete the `size()` method of the `BookCollection` class so that it returns the number of books in the collection.

```
public int size(){
```

```
}
```

(Question 4 continued on next page)

(Question 4 continued)

(b) [5 marks] Complete the following `addBook()` method of the `BookCollection` class so that it adds the given book to the collection. If the collection is full, it should do nothing.

```
public void addBook(Book b){
```

```
}
```

(c) [5 marks] Complete the `findBook` method below so that it returns the book in the collection that has the given title. If there is no such book, it should return null. You may assume that all the books have different titles.

Assume that the `Book` class includes a `hasTitle` method that returns true if a book has a title that matches a given string, and false otherwise:

```
public boolean hasTitle(String str) .....
```

```
public Book findBook(String title){
```

```
}
```


(Question 5 continued)

```
public class Book {  
  
    private String title ;      ....  
  
    /** Prints a description of the book to a PrintStream (eg System.out) */  
    public void print (PrintStream ps){....  
  
    /** Returns true if the book has the specified title , false otherwise */  
    public boolean hasTitle(String str) {....  
  
    /** Returns true if the book is on loan to someone */  
    public boolean onLoan() {...  
  
        :  
  
}
```

```
public class BookCollection{  
  
    /** Returns the number of books in the collection */  
    public int size(){ ....  
  
    /** Adds a book to the collection */  
    public void addBook(Book b){ ....  
  
    /** Returns the book in the collection that has the specified title ,  
        or null if there is no such book */  
    public Book findBook(String title){ ....  
  
    /** Removes from the collection the book that has the specified title */  
    public void removeBook(String title){ ....  
  
    /** Prints descriptions of each book to a PrintStream (eg System.out) */  
    public void printAll (PrintStream ps){  
        ....  
}
```


(d) [4 marks] The `CarryBag` class has a field `items` containing an array for the items, along with a field for the count of the items. Give appropriate declarations for these fields so that the array could hold `Tool`, `Food`, and/or `Map` items. The field declarations should initialise the fields appropriately.

```
public class CarryBag{
```

The `Map` class represents the map items that the player finds. A map will have a weight (usually small), a material that it is printed on (*e.g.*, paper or leather), a size (length and width in centimeters) and a locality (the name of the area shown in the map). It will also have a description of its current state, such as “badly torn”, or “soggy and illegible”. It uses an `enum` to represent the different kinds of material.

(e) [7 marks] Complete the header and the field declarations of the `Map` class to represent this information.

```
public class Map .....
```

```
    public enum Material {Paper, Leather, Vellum, Copper, Wood};
```


(f) [4 marks] Write the `getWeight()` method of the `Map` class so that it returns the weight of a map.

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.

(Question 6 continued)

(g) [7 marks] Write the `print` method of the `Map` class so that it will print out an informative description of a map.



Question 7. GUIs and Mouse Events.

[12 marks]

Suppose you are writing a program that allows the user to draw polygons on the window by clicking the mouse at each vertex of the polygon until the user clicks on the starting point again.

Write code to respond to the mouse and draw polygons in this way. For every click (except the first one of each polygon), it should draw a line from the previous vertex to the new vertex. After the user has clicked again on the first vertex, it should let the user start another polygon.

Assume that there is a field `canvas` containing a `DrawingCanvas`. You only need to define the `mouseReleased` method and any additional fields it needs.

Note, the code only has to draw the polygon on the screen; it does not have to store the polygon anywhere.

```
public class PolygonDrawer implements MouseListener{
```

```
.....
```

```
// Field(s) for Mouse handling
```

```
// Method for mouse handling
```

Question 8. Recursion

[21 marks]

(a) [7 marks] The following recursive method, `countdown`, should count down from its argument to 1, print “Bang” and then count up again. For example, if called with an argument of 5, it should print:

5 4 3 2 1 Bang 1 2 3 4 5

If called with an argument of 0 or less, it should just print “Bang”.

Write `countdown` using recursion; do not use a `while` or a `for` loop.

```
public void countdown(int n){
```

```
}
```

(Question 8 continued on next page)

(Question 8 continued)

(b) [10 marks] What will be printed out if the fill method below is called with the arguments fill(3,6)?

```
public void fill (int row, int col){  
    fillSquare (row, col);  
    if (row < col){  
        fill (row, col-2);  
        fill (row+1, col);  
    }  
    else if (row > col){  
        fill (row-1, col);  
        fill (row, col+1);  
    }  
}  
  
public void fillSquare (int row, int col){  
    System.out.printf (" (%d, %d) \n", row, col);  
}
```

(Question 8 continued on next page)

(Question 8 continued)

(c) [4 marks] Is the fill method guaranteed to stop on all possible inputs, or might it keep going for ever on some inputs? Justify your answer.

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.

(You may detach this page)

Brief and partial documentation of some classes and methods

```
PrintStream class:
public PrintStream (File f) // Note, System.out is a PrintStream object
public void close() // Constructor, for printing to a file
public void print (String s) // Close the file (if it is wrapping a File object)
public void print (int i) // Prints s with no newline
public void print (double d) // Prints i with no newline
public void println () // Prints d with no newline
public void println (String s) // Prints a newline
public void println (int i) // Prints s followed by newline
public void println (double d) // Prints i followed by newline
public void printf (String format, ...) // Prints d followed by newline
// Prints the format string, inserting the remaining
// arguments at the %'s in the format string:
// %s for Strings.
// %d for ints, (%3d: use at least 3 characters),
// %.2f for 2dp doubles,
// (%6.2f: at least 6 characters and 2dp),
// Use \n for newline

Scanner class:
public Scanner (InputStream i) // Constructor. Note: System.in is an InputStream
public Scanner (File f) // Constructor, for reading from a file
public Scanner (String s) // Constructor, for reading from a string
public boolean hasNext() // Returns true if there is more to read
public boolean hasNextInt() // Returns true if the next token is an integer
public boolean hasNextDouble() // Returns true if the next token is a number
public String next() // Returns the next token (chars up to a space/line)
// (throws exception if no more tokens)
public String nextLine() // Returns the next line
// (throws exception if no more tokens)
public int nextInt() // Returns the integer value of the next token
// (throws exception if next token is not an integer
// or no more tokens)

public double nextDouble() // Returns the double value of the next token
// (throws exception if next token is not a number
// or no more tokens)
public void close() // Closes the file (if it is wrapping a File object)

File class:
public File (String fname) // Constructor. Creates a File object attached to the
// file with the name fname

Integer class:
public static final int MAX_VALUE // The largest possible int: 2^(31-1)
public static final int MIN_VALUE // The smallest possible int: -2^(31)
```

(Continued on next page)

String class:

```
public int length() // Returns the length (number of characters) of the string
public boolean equals(String s) // String has same characters as s
public boolean equalsIgnoreCase(String s) // String has same characters as s, ignoring their case
public String toUpperCase(String s) // Returns upper case copy of string
public String toLowerCase(String s) // Returns lower case copy of string
public boolean startsWith(String s) // First part of string matches s
public boolean contains(String s) // s matches some part of the string
public String substring(int j, int k) // Returns substring from index j to index k-1
public int indexOf(String s) // Returns the index of where s first matches
// Returns -1 if string does not contain s anywhere
```

Math class:

```
public static double sqrt(double x) // Returns the square root of x
public static double min(double x, double y) // Returns the smaller of x and y
public static double max(double x, double y) // Returns the larger of x and y
public static double abs(double x) // Returns the absolute value of x
public static int min(int x, int y) // Returns the smaller of x and y
public static int max(int x, int y) // Returns the larger of x and y
public static int abs(int x) // Returns the absolute value of x
```

DrawingCanvas class:

```
public void clear() // Clears the drawing canvas
public void setForeground(Color c) // Change the colour for later commands
public void drawLine(int x, int y, int u, int v) // Draws line from (x, y) to (u, v)
public void drawRect(int x, int y, int wd, int ht) // Draws outline of rectangle
public void fillRect(int x, int y, int wd, int ht) // Draws solid rectangle
public void clearRect(int x, int y, int wd, int ht) // Draws clear rectangle
public void drawOval(int x, int y, int wd, int ht) // Draws outline of oval
public void fillOval(int x, int y, int wd, int ht) // Draws solid oval
```

Color class:

```
public Color(int red, int green, int blue) // Make a colour; arguments must be 0..255
Color.gray, Color.blue, Color.red, // Some of the predefined colours
Color.green, Color.black, Color.white
```

MouseListener interface:

```
public void mousePressed(MouseEvent e); // Called when mouse pressed
public void mouseReleased(MouseEvent e); // Called when mouse released
public void mouseClicked(MouseEvent e); // Called when mouse clicked
public void mouseEntered(MouseEvent e); // Called when mouse enters component
public void mouseExited(MouseEvent e); // Called when mouse exits component
```

MouseEvent class:

```
public int getX() // Get the x component of the mouse position
public int getY() // Get the y component of the mouse position
```